F-8917 Ser. No.

IN THE CLAIMS:

Please replace the claims with the claims provided in the listing below wherein status, amendments, additions and cancellations are indicated.

- 1. (Canceled)
- 2. (Canceled)
- 3. (Canceled)
- 4. (Currently amended) The bifocal plastic lens according to claim [[1]] 7 or [[2]] 8, wherein at least a part of a step generated on a boundary surface in a peripheral edge portion of the small lens is constituted by a curved surface in order to prevent a boundary surface between the small lens and the bench resin covering the small lens from being conspicuous.
- 5. (Currently amended) The bifocal plastic lens according to any of claims 1 to 4 claim 7 or 8, wherein at least one property for reducing a reflected light selected from coloring, matting and antireflection is given to a surface

F-8917 Ser. No.

constituting the step generated on the boundary surface of the peripheral edge portion of the small lens.

6. (Canceled)

7. (New) A bifocal plastic lens including a small lens for short-range view,

wherein a preparatory lens member having the small lens protruded on a convex surface side is molded previously employing a high-refractive resin having a refractive index of not smaller than 1.66 (nd) and another resin having a lower refractive index compared with the preparatory lens member is cast and cured so as to adhere to the surface provided with the small lens of the preparatory lens member and to be integrated with the preparatory lens member, resulting in that all over the surface provided with the small lens is covered by the resin having lower refractive index and the small lens is taken into the integrated lens not to form a protruded surface,

and a concave surface side of the preparatory lens member is employed as a surface to regulate refractive power.

F-8917 Ser. No.

8. (New) The bifocal plastic lens according to claim 7, wherein the preparatory lens member is formed employing an episulfide resin.

9. (New) The bifocal plastic lens according to claim 7 or 8, wherein the resin adhered to preparatory lens member is dyed.